


Yeast and Mold



Agriculture and Food Testing Solutions

CERTIFICATE OF ANALYSIS #
CS0548-193573-001-YM

Sponsor Sample ID: Sample 1

Sample Description: BaOx

Date/Time Received: 17 Oct 19 / 1218

Analyses Initiated: 23 Oct 19

Foxfire Fields

Address: 343 Amber Mtn Rd.

Bakersville, NC, 28705

Email: thomas_ellis@bellsouth.net

Phone: 828-688-6801 , 828-766-9812

Analyst Name: Kaleigh Palacios	Signature:	Date: 29 Oct 19
Reviewer Name: Jen Heath	Signature:	Date: 29 Oct 19

Table 1: Colony Forming units (CFU) of yeast and mold per gram of sample submitted.

Test Name	Test Results (CFU/g)	Comments
Yeast Count	<1,000	Test is confirmatory.
Mold Count	129,000	Test is confirmatory.

Avazyme cannot warrant the absolute negative presence of any microorganism, only attest that the test was carried out via appropriate methods and shows a negative result.

Testing was performed according to established AOAC, BAM, and API methods.

Certificate Approved by:

/ 29 Oct 19
signature/date

The result applies only to the sample listed on this certificate. Avazyme cannot guarantee that this sample is representative of the product/lot as a whole. Avazyme warrants that this study was performed in accordance with appropriate laboratory research practices and protocols for the sample submitted. Avazyme is not responsible for Sponsor's use of the information or concepts generated as part of the study and will not be liable for any loss or damage resulting from such use.